Author Index

Bagnall, D.J. and King, R.W. (Canberra, A.C.T., Australia)
Temperature and irradiance effects on yield in cowpea (*Vigna unguiculata*) 217
Bergersen, F.J., *see* Evans, J. et al.
Blum, A. (Bet Dagan, Israel)
Book review of *The Origins and Domestication of Cultivated Plants*, by G. Barigozzi (Editor) 363
Brown, S.C. (Reading, Great Britain), Keatinge, J.D.H. (Aleppo, Syria), Gregory, P.J. (Reading, Great Britain) and Cooper, P.J.M. (Aleppo, Syria)
Effects of fertilizer, variety and location on barley production under rainfed conditions in northern Syria. 1. Root and shoot growth 53
Brown, S.C., *see also* Cooper, P.J.M. et al.
Christensen, N.B., Vanderlip, R.L. and Milliken, G.A. (Manhattan, KS, U.S.A.)
Response of pearl millet to grain sorghum environments 337
Cooper, P.J.M. (Aleppo, Syria), Gregory, P.J. (Reading, Great Britain), Keatinge, J.D.H. (Aleppo, Syria) and Brown, S.C. (Reading, Great Britain)
Effects of fertilizer, variety and location on barley production under rainfed conditions in northern Syria. 2. Soil water dynamics and crop water use 67
Cooper, P.J.M., *see also* Brown, S.C. et al.
Davis, J.H.C. and Garcia, S. (Cali, Colombia)
The effects of plant arrangement and density on intercropped beans (*Phaseolus vulgaris*) and maize. I. Traits related to dry matter and seed productivity 105
Davis, J.H.C., Roman, A. (Medellin, Colombia) and Garcia, S. (Cali, Colombia)
The effects of plant arrangement and density on intercropped beans (*Phaseolus vulgaris*) and maize. II. Comparison of relay intercropping and simultaneous planting 117
De Silva, H.N. (Colombo, Sri Lanka) and Omran, A. (Addis Ababa, Ethiopia)
Diallel analysis of pod length and shelling percent of winged bean (*Psophocarpus tetragonolobus*) 209
Evans, J. (Wagga Wagga, N.S.W., Australia), Turner, G.L. (Canberra, A.C.T., Australia), O'Connor, G.E. (Wagga Wagga, N.S.W., Australia) and Bergersen, F.J. (Canberra, A.C.T., Australia)
Nitrogen fixation and accretion of soil nitrogen by field-grown lupins (*Lupinus angustifolius*) 309
Foale, M.A., *see* Leach, G.J. and Foale, M.A.
Friis, E., Jensen, J. and Mikkelsen, S.A. (Ørum Sdrl., Denmark)
Predicting the date of harvest of vining peas by means of air and soil temperature sums and node countings 33
Fukai, S., *see* Tsay, J.S. et al.
Garcia, S., *see* Davis, J.H.C. and Garcia, S.
see also Davis, J.H.C. et al.
Gardner, F.P. (Gainesville, FL, U.S.A.)
Book review of *Processes and Control of Plant Senescence*, by Y.Y. Leshem, A.H. Halevy and C. Frenkel 194
Ghuman, B.S. and Lal, R. (Ibadan, Nigeria)
Movement of solutes in tropical alfisols cleared by different methods 285
Green, C.F. (Loughborough, Great Britain) and McDonald, H.G. (Mansfield, Great Britain)
Response of *Hordeum distichon* cv. Igri (2-row) and *H. hexastichon* cv. Plaisant (6-row) winter barley to foliar applications of chlormequat 129

Gregory, P.J., *see* Brown, S.C. et al.
see also Cooper, P.J.M. et al.
Hadas, A. (Bet Dagan, Israel)
Book review of *Trickle Irrigation for Crop Production - Design, Operation and Management*, by F.S. Nakayama and D.A. Bucks (Editors) 97
Hanviriyapant, P. (Nedlands, W.A., Australia), Sherrard, J.H. (Kunurra, W.A., Australia) and Pearson, C.J. (Sydney, N.S.W., Australia)
Establishment of rice determined by interaction between cultivar, sowing depth, and time between irrigation and sowing in north west Australia 273
Hauck, R.D., *see* Russelle, M.P. et al.
Hocking, P.J., Randall, P.J. and Pinkerton, A. (Canberra, A.C.T., Australia)
Sulphur nutrition of sunflower (*Helianthus annuus*) as affected by nitrogen supply: effects on vegetative growth, the development of yield components, and seed yield and quality 157
Huda, A.K.S., Sivakumar, M.V.K., Sri Rama, Y.V., Sekaran, J.G. and Virmani, S.M. (Patancheru, India)
Observed and simulated responses of two sorghum cultivars to different water regimes 323
Hulugalle, N.R., Lal, R. and Opara-Nadi, O.A. (Ibadan, Nigeria)
Management of plant residue for cassava (*Manihot esculenta*) production on an acid ultisol in southeastern Nigeria 1
Imrie, B.C. (St. Lucia, Qld., Australia) and Shanmugasundaram, S. (Tainan, Taiwan)
Source of variation in yield in international mungbean trials 197
Jensen, J., *see* Friis, E. et al.
Keatinge, J.D.H., *see* Brown, S.C. et al.
see also Cooper, P.J.M. et al.
King, R.W., *see* Bagnall, D.J. and King, R.W.
Konno, S., *see* Spaeth, S.C. et al.
Kresovich, S. (Weslaco, TX, U.S.A.)
Book review of *Forage and Fuel Production from Salt Affected Wasteland*, by E.G. Barrett-Lennard, C.V. Malcolm, W.R. Stern and S.M. Wilkins (Editors) 193
Lal, R., *see* Ghuman, B.S. and Lal, R.
see also Hulugalle, N.R. et al.
Leach, G.J. and Foale, M.A. (St. Lucia, Qld., Australia)
Relations between summer crops and ground cover legumes in a subtropical environment. 3. Soil water use under sorghum and sunflower 177
Mason, W.K. and Pritchard, K.E. (Kyabram, Vic., Australia)
Intercropping in a temperate environment for irrigated fodder production 243
McDonald, H.G., *see* Green, C.F. and McDonald, H.G.
Mikkelsen, S.A., *see* Friis, E. et al.
Milliken, G.A., *see* Christensen, N.B. et al.
Mohamed Saleem, M.A., Suleiman, H. and Von Kaufmann, R. (Kaduna, Nigeria)
Tillage methods for the cropping of sorghum in legume fodder banks in the subhumid zone of Nigeria 85
Muchow, R.C. (Winnellie, N.T., Australia)
Book review of *Grain Legume Crops*, by R.J. Summerfield and E.H. Roberts (Editors) .. 95
O'Connor, G.E., *see* Evans, J. et al.
Ofori, F. and Stern, W.R. (Nedlands, W.A., Australia)
The combined effects of nitrogen fertilizer and density of the legume component on production efficiency in a maize/cowpea intercrop system 43

Ohnuma, T., *see* Spaeth, S.C. et al.
Olson, R.A., *see* Russelle, M.P. et al.
Omran, A., *see* De Silva, H.N. and Omran, A.
Opara-Nadi, O.A., *see* Hulugalle, N.R. et al.
Pearson, C.J., *see* Hanviriyapant, P. et al.
Pinkerton, A., *see* Hocking, P.J. et al.
Pritchard, K.E., *see* Mason, W.K. and Pritchard, K.E.
Randall, P.J., *see* Hocking, P.J. et al.
Roman, A., *see* Davis, J.H.C. et al.
Russelle, M.P., Olson, R.A. and Hauck, R.D. (Lincoln, NE, U.S.A.)
Planting date and nitrogen management interactions in irrigated maize 349
Sekaran, J.G., *see* Huda, A.K.S. et al.
Shanmugasundaram, S., *see* Imrie, B.C. and Shanmugasundaram, S.
Sharma, H.C., *see* Singh, D.P. et al.
Shepard, B.M. (Manila, The Philippines)
Book review of *Pests of Rice and Their Natural Enemies in Peninsular Malaysia*, by G. van Vreen and Abdul Latif Ahmadzabidi 96
Sherrard, J.H., *see* Hanviriyapant, P. et al.
Sinclair, T.R., *see* Spaeth, S.C. et al.
Singh, D.P., Singh, P., Sharma, H.C. and Turner, N.C. (Haryana, India)
Influence of water deficits on the water relations, canopy gas exchange, and yield of chickpea (*Cicer arietinum*) 231
Singh, P., *see* Singh, D.P. et al.
Sivakumar, M.V.K., *see* Huda, A.K.S. et al.
Spaeth, S.C. (Pullman, WA, U.S.A.), Sinclair, T.R. (Gainesville, FL, U.S.A.), Ohnuma, T. and Konno, S. (Shinjo, Japan)
Temperature, radiation, and duration dependence of high soybean yields: measurement and simulation 297
Sri Rama, Y.V., *see* Huda, A.K.S. et al.
Stoop, W.A. (Ouagadougou, Burkina Faso)
Adaptation of sorghum/maize and sorghum/pearl millet intercrop systems to the toposequence land types in the north Sudanian zone of the West African savanna 255
Suleiman, H., *see* Mohamed Saleem, M.A. et al.
Thurling, N., *see* Yau, S.K. and Thurling, N.
Tsay, J.S., Fukai, S. and Wilson, G.L. (St. Lucia, Qld., Australia)
The response of cassava (*Manihot esculenta*) to spatial arrangement and to soybean intercrop 19
Turner, G.L., *see* Evans, J. et al.
Turner, N.C., *see* Singh, D.P. et al.
Vanderlip, R.L., *see* Christensen, N.B. et al.
Virmani, S.M., *see* Huda, A.K.S. et al.
Von Kaufmann, R., *see* Mohamed Saleem, M.A. et al.
Wilson, G.L., *see* Tsay, J.S. et al.
Yau, S.K. and Thurling, N. (Nedlands, W.A., Australia)
Variation in nitrogen response among spring rape (*Brassica napus*) cultivars and its relationship to nitrogen uptake and utilization 139

Subject Index

Amino acids, *see* protein content
Avena sativa
  Intercropping for fodder production 243
Barley, *see Hordeum* spp.
Bean, see *Phaseolus* spp.
Bean, Lablab, *see Lablab purpureus*
Bean, winged, *see Psophocarpus tetragonolobus*
Brassica napus
  Variation in nitrogen response and its relationship to uptake and utilization 139
Cassava, *see Manihot esculenta*
Cercospora leaf-spot, *see* Pests, diseases, and control
Chickpea, see *Cicer arietinum*
Cicer arietinum
  Influence of water deficits on water relations, canopy gas exchange, and yield 231
Cowpea, see *Vigna* spp.
Crossing, *see* Management practices, effect of
Diallel analysis
  of pod length and shelling percent of winged bean 209
Domestication of plants
  Origin and Domestication of Cultivated Plants (book review) 363
Environmental effects
  Adaptation of sorghum/maize/pearl millet intercrop systems to land types in the West African savanna 255
  Predicting date of harvest peas by air and soil temperature sums and node countings 33
  Response of pearl millet to grain sorghum environments 337
  Source of variation in yield in mungbean trials 195
  Temperature and irradiance effects on cowpea (*Vigna unguiculata*) 217
  Temperature, radiation, and duration dependence of soybean: measurement and simulation 297
Fertilization, *see* Management practices, effect of
Forage, *see* Legumes
Genetics
  Diallel analysis of *Psophocarpus tetragonolobus* 209
Glycine max
  Intercropping for fodder production 243
  Response of *Manihot esculenta* to spatial arrangement and intercrop 19
  Temperature, radiation, and duration dependence: measurement and simulation 297
Growth regulators, *see* Management practices, effect of
Helianthus annuus
  Relations with legumes
    3. Soil water use under sorghum and sunflower 177
  Sulphur nutrition of sunflower affected by nitrogen: effects on growth, yield components, and seed yield and quality 157
Heterosis
  Diallel analysis of *Psophocarpus tetragonolobus* 209
Hordeum spp.
  Fertilizer, variety and location, effects on barley under rain in northern Syria.
    1. Root and shoot growth 53

2. Soil water dynamics and crop water use 67
Response of winter barley to chlormequat 129
Interaction effects
Between cultivar, sowing depth, and time between irrigation and sowing in rice establishment 273
Fertilizer, variety and location effects on barley
1. Root and shoot growth 53
2. Soil water dynamics and crop water use 67
Planting date and nitrogen management in maize 349
Temperature, radiation, and duration dependence of soybean: measurement and simulation 297
Intercrop, *see* Management practices, effect of
Irrigation, *see* Water regime, effects of
Lablab purpureus
Intercropping for fodder production 243
Legumes
Diallel analysis of *Psophocarpus tetragonolobus* 209
Grain Legume Crops (book review) 95
Intercropping for fodder production 243
Relations with summer crops
3. Soil water use under sorghum and sunflower 177
Tillage methods for sorghum fodder banks 85
Location, effects of
Effects of fertilizer, variety and location on barley under rain
1. Root and shoot growth 53
2. Soil water dynamics and crop water use 67
Lupin, *see Lupinus angustifolius*
Lupinus angustifolius
Nitrogen fixation and accretion 309
Maize, *see Zea mays*
Management practices, effect of
Chlormequat, response of *Hordeum* to 129
Diallel analysis of *Psophocarpus* 209
Fertilizer, variety and location effects on barley under rain
1. Shoot and root growth 53
2. Soil water dynamics and crop water use 67
Interaction between cultivar, sowing depth, and time between irrigation and sowing, in rice establishment 273
Intercropping for fodder production 243
Irrigation, *see* Water regime, effects of
Manihot production and plant residue 349
Manihot response to spatial arrangement and intercrop 19
Nitrogen and legume density - combined effects in intercrop 43
Nitrogen response, variation in *Brassica*
Plant arrangement and density, effects on beans and maize
I. Traits related to dry matter and seed productivity 105
II. Comparison of relay intercropping and simultaneous planting 117
Planting date and nitrogen management, interactions in maize 349
Solute movement in alfisols cleared by different methods 285
Sorghum/maize/pearl millet intercrops, adaptation to toposequence types in West Africa 255

Sulphur nutrition of sunflower affected by nitrogen:
Effects on growth, yield and quality 157
Summer crops/legume relations:
Soil water use under sorghum and sunflower 177
Tillage methods for sorghum in fodder banks 85
Manihot esculenta
Management of plant residue for production on acid ultisol 1
Response to spatial arrangement and soybean intercrop 19
Medicago scutellata
Relations between summer crops and ground cover legumes.
3. Soil water use under sorghum and sunflower 177
Mildew, powdery, *see* Pests, diseases and control
Modelling
Observed and simulated responses of sorghum to different water regimes 323
Predicting date of harvest peas by air and soil temperature sums and node countings 33
Temperature, radiation, and duration dependence of soybean: measurement and simulation 297
Mulching, *see* Management practices, effect of
Mungbean
Source of variation in yield in trials 195
Nitrogen
Combined effects with density of legume in maize/cowpea intercrop 43
Fixation and accretion by lupins 309
Variation in response among spring rape cultivars and its relationship to uptake and utilization 139
Node counting
Predicting date of harvest peas by air and soil temperature sums and node countings 33
Oryza spp.
Establishment determined by interaction between cultivar, sowing depth, and time between irrigation and sowing 273
Pests of rice and their natural enemies in Peninsular Malaysia (book review) 96
Paddy, conversion of to alternative crops
Temperature, radiation, and duration dependence of soybean: measurement and simulation 297
Peas, *see Pisum* spp.
Pennisetum americanum
Response to grain sorghum environments 337
Sorghum/maize/pearl millet intercrops, adaptation to toposequence types in West Africa 255
Pests, diseases and control
Pests of rice and their natural enemies in Peninsular Malaysia (book review) 96
Source of variation in yield in mungbean trials 197
Phaseolus vulgaris
Effects of plant arrangement and density on intercropped beans and maize.
I. Traits related to dry matter and seed productivity 105
II. Comparison of relay intercropping and simultaneous planting 117
Pisum sativum
Intercropping for fodder production 243
Predicting date of harvest by air and soil temperature sums and node countings 33

Planting arrangement, *see* Management practices, effect of
Planting, effect of time of, *see* Management practices, effect of
Protein content
Intercropping for fodder production 243
Variation in nitrogen response among spring rape cultivars and its relationship to uptake and utilization 139
Psophocarpus tetragonolobus
Diallel analysis of pod length and shelling percent 209
Rape, *see Brassica* spp.
Rice, see *Oryza* spp.
see also Paddy, conversion of to alternate crops
Salt-affected land
Forage and Fuel Production from Salt Affected Wasteland (book review) 193
Saturated flow, *see* Water regime, effects of
Senescence
Processes and Control of Plant Senescence (book review) 194
Soil clearance, *see* Management practices, effect of
Soil conditions
Management of plant residue for *Manihot* production on acid ultisol 1
Solute movement in alfisols cleared by different methods 285
Temperature, radiation, and duration dependence of soybean: measurement and simulation 297
Solute movement
in alfisols cleared by different methods 285
Sorghum bicolor
Observed and simulated responses of sorghum to different water regimes 323
Pearl millet response to grain sorghum environments 337
Sorghum/maize/pearl millet intercrop: adaptation to toposequence types in West Africa . 255
Summer crops/ground cover legumes relations:
3. Soil water use under sorghum and sunflower 177
Tillage methods in fodder banks 85
Sowing depth, *see* Management practices, effect of
Soybean, *see Glycine max*
Sunflower, *see Helianthus* spp.
Tillage, *see* Management practices, effect of
Variety, effects of, *see* Management practices, effect of
Vigna trilobata
Relations between summer crops and ground cover legumes.
3. Soil water use under sorghum and sunflower 177
Vigna unguiculata
Nitrogen and legume density, combined effects on maize/cowpea intercrop 43
Temperature and irradiance effects on cowpea 217
Water regime, effects of
Canopy gas exchange and yield of *Cicer arietinum*, influence on 231
Fertilizer, variety and location, effects on barley under rain.
1. Root and shoot growth 53
2. Soil water dynamics and crop water use 67
Interaction between cultivar, sowing depth, and time between irrigation and sowing, in rice establishment 273
Intercropping for fodder production 243
Observed and simulated responses of sorghum 323

Planting date and nitrogen interactions in maize 349
Solute movement in alfisols cleared by different methods 285
Sorghum/maize/pearl millet intercrop, adaptation to toposequence types in West African savanna 255
Summer crop/ground cover legume relations:
3. Soil water use under sorghum and sunflower 177
Trickle Irrigation for Crop Production - Design, Operation and Management (book review) 97
Yield variation in mungbean trials 195
Zea mays
Intercropping for fodder production 243
Nitrogen and legume density, combined effects in maize/cowpea intercrop 43
Plant arrangement and density, effects on intercropped beans and maize.
I. Traits related to dry matter and seed productivity 105
II. Comparison of relay intercropping and simultaneous planting 117
Planting date and nitrogen management interactions 349
Sorghum/maize/pearl millet intercrops, adaptation to toposequence types in West Africa 255